

# How to Fill Out a Well Completion Report

## Instruction Pamphlet

**ORIGINAL**  
File with DWR

**WELL COMPLETION REPORT**  
STATE OF CALIFORNIA  
REG. NO. \_\_\_\_\_

Page \_\_\_\_\_ of \_\_\_\_\_  
Owner's Well No. \_\_\_\_\_  
Date Well Cased \_\_\_\_\_  
Local Water Agency \_\_\_\_\_  
Permit No. \_\_\_\_\_

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
DIVISION OF WELL REGULATION

WELL OWNER  
Name \_\_\_\_\_  
Mailing Address \_\_\_\_\_  
City \_\_\_\_\_  
County \_\_\_\_\_  
APN Book \_\_\_\_\_ Date \_\_\_\_\_  
Section \_\_\_\_\_  
Twp. \_\_\_\_\_ Range \_\_\_\_\_  
Elev. \_\_\_\_\_

WELL LOCATION  
SPR. NO. \_\_\_\_\_  
ACTIVITY NO. \_\_\_\_\_

LOCATION SKETCH  
SCALE \_\_\_\_\_

PLANNED USES  
DOMESTIC \_\_\_\_\_  
AGRICULTURE \_\_\_\_\_  
INDUSTRIAL \_\_\_\_\_  
MINE EXPLORATION \_\_\_\_\_  
OTHER \_\_\_\_\_

WATER LEVEL & YIELD OF COMPLETED WELL  
DATE OF READING \_\_\_\_\_  
TIME OF DAY \_\_\_\_\_  
METER TYPE \_\_\_\_\_  
TYPE OF WELL \_\_\_\_\_  
YIELD (GAL. PER MIN.) \_\_\_\_\_

DEPTH FROM SURFACE	ROPE OR CABLE	WELL TYPE	CASING (ft)				SUMP	ANNUAL MATERIAL				
			WELL	ANNULAR SPACE	ANNULAR SPACE	ANNULAR SPACE		TYPE	AMOUNT	DATE	TYPE	
0												

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
DIVISION OF WELL REGULATION

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
DIVISION OF WELL REGULATION

STATE OF CALIFORNIA  
DEPARTMENT OF WATER RESOURCES  
DIVISION OF WELL REGULATION

# For Assistance...

For assistance in preparing the *Well Completion Report* form, contact the nearest Department of Water Resources District Office according to the county in which the well is located (see below). *Well Completion Report* forms which do not have sufficient well location information will be returned to the sender and considered incomplete until the required information is received. Send completed *Well Completion Report* forms to the appropriate District Office listed below. For more information visit DWR's Web site at [www.dwr.water.ca.gov](http://www.dwr.water.ca.gov) or call (916) 327-8861. To request copies of this instruction pamphlet contact DWR's Publications and Paperwork Management Office at (916) 653-1097 or [imr-publications@water.ca.gov](mailto:imr-publications@water.ca.gov).

## COUNTY

Butte, Colusa, Del Norte, Glenn, Humboldt, Lake, Lassen, Modoc, Plumas, Shasta, Siskiyou, Tehama, Trinity

Alameda, Alpine, Amador, Calaveras, Contra Costa, El Dorado, Marin, Mendocino, north Mono, Napa, Nevada, Placer, Sacramento, San Francisco, San Joaquin, San Mateo, Santa Clara, Sierra, Solano, Sonoma, Sutter, Tuolumne, Yolo, Yuba

Fresno, west Kern (San Joaquin Valley), Kings, Madera, Mariposa, Merced, Monterey, San Benito, Santa Cruz, Stanislaus, Tulare

Imperial, Inyo, east Kern (desert), Los Angeles, south Mono, Orange, Riverside, San Bernardino, San Diego, San Luis Obispo, Santa Barbara, Ventura

## DISTRICT OFFICE

**Northern District**  
2440 Main Street  
Red Bluff, CA 96080  
(530) 529-7368  
[april@water.ca.gov](mailto:april@water.ca.gov)

**Central District**  
3251 S Street  
Sacramento, CA 95816  
(916) 651-0753  
[aroth@water.ca.gov](mailto:aroth@water.ca.gov)

**San Joaquin District**  
3374 East Shields Ave., Room A-7  
Fresno, CA 93726-6990  
(559) 230-3356  
[guevara@water.ca.gov](mailto:guevara@water.ca.gov)

**Southern District**  
770 Fairmont Ave., Suite 102  
Glendale, CA 91203-1035  
(818) 500-1645 x 233  
[waterdata@sd.water.ca.gov](mailto:waterdata@sd.water.ca.gov)

# How to Fill Out a Well Completion Report

## Instruction Pamphlet



State of California, The Resources Agency, Department of Water Resources—**November 1999**



---

# DWR Organization

**State of California**

Gray Davis, Governor

**The Resources Agency**

Mary D. Nichols, Secretary for Resources

**Department of Water Resources**

Thomas M. Hannigan, Director

Raymond D. Hart  
Deputy Director

Steve Macaulay  
Chief Deputy Director

Stephen L. Kashiwada  
Deputy Director

L. Lucinda Chipponeri  
Assistant Director for Legislation

Susan N. Weber  
Chief Counsel

**Division of Planning and Local Assistance**

William J. Bennett ..... Division Chief

Jeanine Jones ..... Chief, Statewide Planning Branch

**This report was prepared by**

Carl J. Hauge ..... Chief Hydrogeologist

**with assistance from**

Division of Planning and Local Assistance Publications Unit



# Contents

	Page		Page
<b>Introduction</b> .....	1	Township, Range and Section (sidebar) .....	12
Water Wells Required to Have a <i>Well Completion Report</i> (sidebar) .....	2	Latitude and Longitude .....	13
<i>California Well Standards</i> (sidebar) .....	3	<b>4—Location Sketch</b> .....	13
Department of Water Resources District Offices (sidebar) .....	4	<b>5—Activity</b> .....	13
<b>California Water Code Requirements</b> .....	5	<b>6—Planned Uses</b> .....	13
Who Must File .....	5	<b>7—Water Level and Yield of Completed Well</b> .....	13
What to File .....	5	Definitions of Water Wells and Some “Other” Types of Wells (sidebar) .....	14
When to File .....	6	Depth to First Water .....	16
Where to File .....	6	Depth of Static Water Level and Date Measured .....	16
Confidentiality .....	6	Estimated Yield .....	16
Failure to File .....	7	Test Type and Length .....	16
Additional Information and Assistance .....	7	Total Drawdown .....	16
<b>Filling Out the Well Completion Report</b> .....	11	<b>8—Geologic Log</b> .....	16
<b>1—Owner’s Well Number</b> .....	11	Orientation .....	16
<b>2—Well Owner</b> .....	11	Drilling Method .....	16
<b>3—Well Location</b> .....	11	Fluid .....	16
Address .....	11	Description .....	17
City, town or subdivision .....	11	Depth from (Ground) Surface to the Top and the Bottom of Different Types of Material .....	17
County .....	12	Description of Material .....	17
Assessor’s Parcel Number .....	12	Grain Size of Material .....	17
Township, Range and Section .....	12	Color of Material .....	18

# Contents

	Page		Page
Other Observations .....	18	Completed <i>Well Completion Report</i> .....	20
Total Depth of Boring and of the Completed Well .....	18	The 3 Baselines and Meridians in California .....	21
<b>9—Casing</b> .....	18	State Well Number T3S/R4E-36N04S .....	22
Depth from Surface .....	18	Section of USGS Quadrangle Map for State Well Number T3S/R4E-36N04S .....	23
Borehole Diameter .....	18	Examples of Location Sketches .....	24
Casing(s) .....	19	Measuring Drawdown .....	25
Type .....	19	Wentworth Scale .....	26
Material/Grade .....	19	Unified Soil Classification System .....	26
Internal Diameter .....	19	Daily Drilling Report .....	27
Gauge or Wall Thickness .....	19		
Slot Size If Any .....	19		
<b>10—Annular Material</b> .....	19		
Depth from Surface .....	19		
Type .....	19		
<b>11—Attachments</b> .....	19		
<b>12—Certification Statement</b> .....	19		
<b>References</b> .....	29		
 <b>FIGURES</b>			
<i>Well Completion Report</i> .....	8		
Department of Water Resources District Boundaries .....	9		
<i>Well Completion Report</i> with Numbered Sections .....	10		



---

# Introduction

The purpose of this instruction pamphlet is to assist Water Well Contractors with filing out a *Well Completion Report* (WCR) to meet the requirements of California law.

In 1949, the California Legislature concluded that collecting information on newly constructed, modified or destroyed wells would be valuable in the event of underground pollution, and would also provide geologic information to better manage California's groundwater resources. Legislation was passed requiring a report of completion be filed with the State of California.

The *California Water Code* (Section 13700) recognizes that improperly constructed and abandoned water wells can be a source of groundwater contamination and a threat to public health. The *Water Code* requires Water Well Contractors file a WCR form with the California Department of Water Resources (Section 13751).

There are two major sections to this instruction pamphlet. The first, *California Water Code Requirements*, contains segments of the Water Code and explains "who" is required to file a WCR form, "what" the form is, "when" it must be filed, "where" to send completed forms, "confidentiality" for filing and "failure" to file. The second section, *Filing Out the Well Completion Report*, has step-by-step instructions describing the information required under each heading on the form. This section also has several

examples and diagrams to help in filling out the form correctly and completely.

The types of wells required to file a WCR form with DWR are listed on page 2. Standards for conducting work on these wells are described in DWR's Bulletin 74, *California Well Standards* and updates (see page 3 for more information on this publication).

WCR forms and help filing them out are available from any DWR District Office. The District Offices' phone numbers and addresses are listed on page 4, the map on page 9 and the front inside cover of this pamphlet.

To request copies of this pamphlet, write or call DWR's Publications and Paperwork Management Office, P.O. Box 942836, Sacramento, CA 94236-0001, (916) 653-1097 or [imr-publications@water.ca.gov](mailto:imr-publications@water.ca.gov). Copies are also available at: [www.groundwater.water.ca.gov/technical\\_assistance](http://www.groundwater.water.ca.gov/technical_assistance).

## Water Wells Required to Have a *Well Completion Report*

### **Wells included:**

- ▶ water supply—domestic, irrigation, public, industrial
- ▶ monitoring
- ▶ piezometer
- ▶ test well
- ▶ cathodic protection (over 50 feet deep)
- ▶ heat exchange (also called geothermal heat exchange or ground source heat pump wells)
- ▶ direct push
- ▶ injection (also called recharge wells)
- ▶ extraction
- ▶ vapor extraction
- ▶ sparging
- ▶ remediation
- ▶ water wells converted from oil or gas wells

See pages 14 and 15 for definitions of these water wells and some other types of wells.

### **Wells NOT included:**

- ▶ oil and gas wells
- ▶ high-temperature geothermal wells
- ▶ dewatering wells for construction
- ▶ wells drilled to stabilize hillsides or earth embankments
- ▶ holes bored for hydraulic elevators, telephone poles and piles
- ▶ boreholes for geotechnical exploration or foundation studies
- ▶ mining exploration boreholes

Even though these boreholes are not covered by the *California Water Code*, they could still provide a conduit for contaminating groundwater. The prudent water well drilling contractor, operator or landowner will ensure that such boreholes are built or destroyed properly so that they do not become conduits for contaminating groundwater.

---

## *California Well Standards*

Standards to construct, alter, abandon or destroy water wells, monitoring wells, cathodic protection wells and geothermal heat exchange wells are explained in Bulletin 74, *California Well Standards*, and its updates, published by the California Department of Water Resources.

In accordance with the *California Water Code*, every county, city or water agency is required to adopt an ordinance establishing minimum standards for these types of wells. These standards must meet the minimum level of protection for groundwater quality as described in *California Well Standards*.

Counties or other authorized enforcing agencies may adopt more stringent standards and may include additional requirements either within the ordinance or by reference. Drilling contractors and landowners planning to work on a well should contact the Department of Environmental Health, or other designated local enforcement agency (LEA), in the county in which the work will take place. In some counties, the Department of Environmental Health will direct the applicant to a water district or other agency that is authorized to oversee standards for wells.

To request a copy of *California Well Standards* contact DWR's Publications and Paperwork Management Office, P.O. Box 942836, Sacramento, CA 94236-0001, (916) 653-1097 or [imr-publications@water.ca.gov](mailto:imr-publications@water.ca.gov). For more information visit DWR's Web site at [wwwdwr.water.ca.gov](http://wwwdwr.water.ca.gov), or call (916) 651-9291 or (916) 651-0753.



---

# California Water Code Requirements

This section contains portions of the *California Water Code* explaining “who” is required by California law to file a *Well Completion Report*, “what” the form is, “when” it must be filed, “where” to send completed forms, “confidentiality” for filing and consequences for “failure” to file. Relevant portions of the *California Water Code* are also available on the World Wide Web at [www.leginfo.ca.gov/calaw.html](http://www.leginfo.ca.gov/calaw.html).

## Who Must File

Section 13751 of the *California Water Code* states:

“(a) Every person who digs, bores, or drills a water well, cathodic protection well, groundwater monitoring well, or geothermal heat exchange well, abandons or destroys such a well, or deepens or re-perforates such a well, shall file with the department a report of completion of that well within 60 days from the date its construction, alteration, abandonment, or destruction is completed.”

The term “person” means the **person actually doing the work** of constructing, altering or destroying a well, or the **person responsible for the work**. The *California Water Code* requires this person to have a C-57 Water Well Contractor’s license; therefore, the person who must file the WCR form is the **licensed well drilling contractor**.

## What to File

Section 13751 also states:

“(b) The report shall be made on forms furnished by the department and shall contain information as follows:”

The “forms” are called *Well Completion Report* and are furnished by the California Department of Water Resources (DWR 188 Rev. 11-97). Before 1991, these forms were called “*Water Well Drillers’ Report*” and are still often referred to as “driller’s logs.”

An example of a blank WCR form is shown on page 8. Hard copies of the forms are available by contacting the telephone numbers or e-mail addresses listed on page 4, the map on page 9 and the front inside cover of this pamphlet.

You may also download blank copies of the WCR form in digital format from DWR’s Web site at [www.dpla.water.ca.gov/gw](http://www.dpla.water.ca.gov/gw).

The WCR form will be available electronically in 3 stages over a period of time. Stage 1 is available now. As we develop procedures for Stages 2 and 3, information will be announced on the DWR Web site listed above.

**Stage 1**—You can now download a blank copy of the WCR form from the DWR Web site listed above. Enter your data by hand or by typewriter and mail or fax the completed form to DWR and other appropriate agencies.

**Stage 2**—Soon you will be able to download a copy of the WCR form to your computer system, enter data in the blank spaces (while viewing the form) and file the WCR form with DWR electronically. Such records will constitute an electronic file that is not equivalent to a digital database. Each WCR form will be retrievable for reference.

**Stage 3**—Finally, you will also be able to enter data while viewing the WCR form on your computer system and store the data locally in a database. When you submit the WCR form to DWR, the data will be transmitted and stored in DWR’s database.

When you download or obtain the WCR form electronically, it will not include the sequential number in the top center of the form just below the title (see example on page 20). DWR District staff add the sequential number when the report is received, either by mail, by fax or electronically. (Sequential numbers are preprinted on the hard copy versions only of WCR forms obtained from DWR’s District Offices.)

Some firms produce a detailed lithologic and construction log on their own forms. It may not be necessary to recopy all this information onto DWR’s WCR form. The firm may submit a copy of their own report in lieu of completing the DWR WCR, only if the firm’s report contains the same information that is required on the WCR.

## **When to File**

Section 13751 of the *Water Code* requires WCR forms be filed with DWR “within 60 days from the date its construction, alteration, abandonment, or destruction is completed.”

## **Where to File**

Send completed WCR forms to the DWR District Office whose boundaries include the area where the well is located. Even if the well owner lives elsewhere, send the WCR form to the District Office where the well is located. The counties in each District Office area are shown on the map on page 9. (This information is also listed on page 4 and the inside front cover of this pamphlet.)

Some local enforcement agencies (LEAs) have arranged with DWR for WCR forms to be sent to the local agency. In this case, the agency will forward a copy of the WCR form to DWR. Therefore, before you mail your completed WCR form, contact your local enforcement agency.

## **Confidentiality**

*Water Code* Section 13752 states:

“Reports made in accordance with paragraph (1) of subdivision (b) of Section 13751 shall not be made available for inspection by the public, but shall be made available to governmental agencies for use in making studies, or to any person who obtains a written authorization from the owner of the well. However, a report associated with a well located within two miles of an area affected or potentially affected by a known unauthorized release of a contaminant shall be made available to any person performing an environmental cleanup study associated with the unauthorized release, if the study is conducted under the order of a regulatory agency. A report released to a person conducting an environmental cleanup study shall not be used for any purpose other than for the purpose of conducting the study.”



ORIGINAL  
File with DWR

STATE OF CALIFORNIA  
**WELL COMPLETION REPORT**  
Refer to Instruction Pamphlet

Page \_\_\_\_\_ of \_\_\_\_\_

Owner's Well No. \_\_\_\_\_ No. \_\_\_\_\_

Date Work Began \_\_\_\_\_, Ended \_\_\_\_\_

Local Permit Agency \_\_\_\_\_

Permit No. \_\_\_\_\_ Permit Date \_\_\_\_\_

DWR USE ONLY — DO NOT FILL IN											
STATE WELL NO./STATION NO.											
LATITUDE						LONGITUDE					
APN/TRS/OTHER											

GEOLOGIC LOG					WELL OWNER				
ORIENTATION (⊥) _____ VERTICAL _____ HORIZONTAL _____ ANGLE _____ (SPECIFY)					Name _____				
DRILLING METHOD _____ FLUID _____					Mailing Address _____				
DEPTH FROM SURFACE					CITY _____ STATE _____ ZIP _____				
Ft. to Ft.					WELL LOCATION				
DESCRIPTION					Address _____				
Describe material, grain size, color, etc.					City _____				
					County _____				
					APN Book _____ Page _____ Parcel _____				
					Township _____ Range _____ Section _____				
					Latitude _____ NORTH Longitude _____ WEST				
					DEG. MIN. SEC. DEG. MIN. SEC.				
					LOCATION SKETCH				
					NORTH _____				
					WEST _____ EAST _____				
					SOUTH _____				
					ACTIVITY (⊥)				
					<input type="checkbox"/> NEW WELL <input type="checkbox"/> MODIFICATION/REPAIR <input type="checkbox"/> Deepen <input type="checkbox"/> Other (Specify) _____ <input type="checkbox"/> DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")				
					PLANNED USES (⊥)				
					WATER SUPPLY				
					<input type="checkbox"/> Domestic <input type="checkbox"/> Public <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial				
					MONITORING _____				
					TEST WELL _____				
					CATHODIC PROTECTION _____				
					HEAT EXCHANGE _____				
					DIRECT PUSH _____				
					INJECTION _____				
					VAPOR EXTRACTION _____				
					SPARGING _____				
					REMEDICATION _____				
					OTHER (SPECIFY) _____				
					WATER LEVEL & YIELD OF COMPLETED WELL				
					DEPTH TO FIRST WATER _____ (Ft.) BELOW SURFACE				
					DEPTH OF STATIC WATER LEVEL _____ (Ft.) & DATE MEASURED _____				
					ESTIMATED YIELD * _____ (GPM) & TEST TYPE _____				
					TEST LENGTH _____ (Hrs.) TOTAL DRAWDOWN _____ (Ft.)				
					* May not be representative of a well's long-term yield.				
TOTAL DEPTH OF BORING _____ (Feet)									
TOTAL DEPTH OF COMPLETED WELL _____ (Feet)									

DEPTH FROM SURFACE	BORE-HOLE DIA. (Inches)	CASING (S)						DEPTH FROM SURFACE	ANNULAR MATERIAL					
		TYPE (⊥)				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)		GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	TYPE			
		BLANK	SCREEN	CON-DUCTOR	FILL PIPE						CE-MENT (⊥)	BEN-TONITE (⊥)	FILL (⊥)	FILTER PACK (TYPE/SIZE)
Ft.	to Ft.	Ft.	to Ft.	Ft.	to Ft.	Ft.	to Ft.	Ft.	to Ft.	Ft.	to Ft.	Ft.	to Ft.	

**ATTACHMENTS (⊥)**

- \_\_\_\_ Geologic Log
- \_\_\_\_ Well Construction Diagram
- \_\_\_\_ Geophysical Log(s)
- \_\_\_\_ Soil/Water Chemical Analyses
- \_\_\_\_ Other \_\_\_\_\_

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

**CERTIFICATION STATEMENT**

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME \_\_\_\_\_  
(PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)

ADDRESS \_\_\_\_\_ CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Signed \_\_\_\_\_  
WELL DRILLER/AUTHORIZED REPRESENTATIVE

DATE SIGNED \_\_\_\_\_ C-57 LICENSE NUMBER \_\_\_\_\_





STATE OF CALIFORNIA  
**WELL COMPLETION REPORT**  
Refer to Instruction Pamphlet

Page \_\_\_ of \_\_\_  
Owner's Well No. **1**

No. \_\_\_\_\_

Date Work Began \_\_\_\_\_, Ended \_\_\_\_\_

Local Permit Agency \_\_\_\_\_

Permit No. \_\_\_\_\_ Permit Date \_\_\_\_\_

DWR USE ONLY — DO NOT FILL IN

STATE WELL NO./STATION NO. \_\_\_\_\_

LATITUDE \_\_\_\_\_ LONGITUDE \_\_\_\_\_

APN/TRS/OTHER \_\_\_\_\_

GEOLOGIC LOG			WELL OWNER																																		
ORIENTATION ( $\leq$ ) _____ VERTICAL _____ HORIZONTAL _____ ANGLE _____ (SPECIFY) DRILLING METHOD _____ FLUID _____	<b>DESCRIPTION</b> <i>Describe material, grain size, color, etc.</i>		Name _____ Mailing Address _____ CITY _____ STATE _____ ZIP _____																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">DEPTH FROM SURFACE</th> <th rowspan="2">DESCRIPTION</th> </tr> <tr> <th>Ft.</th> <th>to Ft.</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	DEPTH FROM SURFACE		DESCRIPTION	Ft.	to Ft.																												<b>WELL LOCATION</b> Address _____ City _____ County _____ APN Book _____ Page _____ Parcel _____ Township _____ Range _____ Section _____ Latitude _____ NORTH _____ WEST _____ DEG. MIN. SEC.                   DEG. MIN. SEC.		<b>WELL OWNER</b> <b>2</b> <b>WELL LOCATION</b> <b>3</b> <b>LOCATION SKETCH</b> <b>4</b> NORTH _____ SOUTH _____ WEST _____ EAST _____ <i>Illustrate or Describe Distance of Well from Roads, Buildings, Fences, Rivers, etc. and attach a map. Use additional paper if necessary. PLEASE BE ACCURATE &amp; COMPLETE.</i>		
	DEPTH FROM SURFACE			DESCRIPTION																																	
	Ft.	to Ft.																																			
TOTAL DEPTH OF BORING _____ (Feet) TOTAL DEPTH OF COMPLETED WELL _____ (Feet)		<b>ACTIVITY</b> ( $\leq$ ) <b>5</b> <input type="checkbox"/> NEW WELL MODIFICATION/REP. <input type="checkbox"/> Deepen <input type="checkbox"/> Other (Specify) _____ <input type="checkbox"/> DESTROY ( <i>Describe Procedures and Materials Under "GEOLOGIC LOG"</i> ) <b>PLANNED USES</b> ( $\leq$ ) <b>6</b> WATER SUPPLY <input type="checkbox"/> Domestic <input type="checkbox"/> Public <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> MONITORING <input type="checkbox"/> TEST WELL <input type="checkbox"/> PROTECTION <input type="checkbox"/> HEAT EXCHANGE <input type="checkbox"/> DIRECT PUSH <input type="checkbox"/> INJECTION <input type="checkbox"/> VAPOR EXTRACTION <input type="checkbox"/> SPARGING <input type="checkbox"/> REMEDIATION <input type="checkbox"/> OTHER (SPECIFY) _____																																			
<b>WATER LEVEL &amp; YIELD OF COMPLETED WELL</b> <b>7</b> DEPTH TO FIRST WATER _____ (Ft.) BELOW SURFACE DEPTH OF STATIC WATER LEVEL _____ (Ft.) & DATE MEASURED _____ ESTIMATED YIELD * _____ (GPM) & TEST TYPE _____ TEST LENGTH _____ (Hrs.) TOTAL DRAWDOWN _____ (Ft.) <i>* May not be representative of a well's long-term yield.</i>																																					

DEPTH FROM SURFACE Ft. to Ft.	BORE-HOLE DIA. (Inches)	CASING (S) <b>9</b>				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)	GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)
		TYPE ( $\leq$ )							
		BLANK	SCREEN	CON-DUCTOR	FILL PIPE				

DEPTH FROM SURFACE Ft. to Ft.	ANNULAR MATERIAL <b>10</b>			
	TYPE			
	SEG-MENT	BEN-TONITE	FILL	FILTER PACK (TYPE/SIZE)
	( $\leq$ )	( $\leq$ )	( $\leq$ )	

**ATTACHMENTS** ( $\leq$ ) **11**

\_\_\_ Geologic Log  
 \_\_\_ Well Construction Diagram  
 \_\_\_ Geophysical Log(s)  
 \_\_\_ Soil/Water Chemical Analyses  
 \_\_\_ Other \_\_\_\_\_

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

**CERTIFICATION STATEMENT** **12**

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME \_\_\_\_\_  
 (PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)

ADDRESS \_\_\_\_\_ CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Signed \_\_\_\_\_ WELL DRILLER/AUTHORIZED REPRESENTATIVE      DATE SIGNED \_\_\_\_\_      C-57 LICENSE NUMBER \_\_\_\_\_

---

# Filling Out the *Well Completion Report*

This section explains the information that is required on a *Well Completion Report* form. For easy reference, the numbers on the WCR form on the opposite page (to the left) match the numbers of the text in this section. The text explains the information required under each heading on the form.

The WCR form can be filled out by hand using a ball-point type pen and pressing firmly, or by using a typewriter. In addition, some vendors sell software that allows you to use a computer to fill in the information, providing you with an electronic record and a printed hard copy.

If the information about the lithologic log or the construction information does not fit on one page, use as many copies of the WCR form as needed to file all the relevant information. Be sure to properly and adequately identify the additional pages by well location, well number and owner's name so it is clear the pages belong together.

Incomplete WCR forms will be returned. See page 20 for an example of a properly completed form.

## **1—Owner's Well Number**

If the well owner has a well numbering or designation system, enter that number or name here. Also include the date work started and ended along with the appropriate local permit information.

## **2—Well Owner**

The well owner is the person, organization or agency that owns the property on which the well is located and for whom the well is drilled, deepened, reconditioned or destroyed. Enter the mailing address where the owner of the well resides. The owner's address may be different from the well's location. List the well owner's name—even if the well owner does not own the land on which the well is built.

## **3—Well Location**

Describe the location of the well clearly, completely and accurately so it can be located in the field and plotted on topographic quadrangle maps or geographic information systems. If there are other nearby wells, be sure to distinguish this well from the others. We recommend using a Global Positioning System receiver with a differential correction to determine the location of the well. A GPS receiver can determine the well's location in several different coordinate systems, including latitude and longitude and Universal Transverse Mercator. Include the following information in the well location description.

**Address** where the well is located. If no street address is available, include the lot, block, tract number and subdivision name.

**City, town or subdivision** where the well is located, or the community nearest to the location of the well.

**County** where the well is located.

**Assessor's Parcel Number** or APN Book, Page and Parcel numbers. While this information is useful, it is not an adequate substitute for Township and Range or a location determined by GPS.

**Township, Range and Section.** This information is available from U.S. Geological

Survey topographic maps, which can be purchased from dealers throughout California. Check the USGS Web site at [mapping.usgs.gov/esic/map\\_dealers/ca.html](http://mapping.usgs.gov/esic/map_dealers/ca.html) for a list of dealers.

DWR, USGS and other agencies use a system for numbering wells which is an extension of the system for the Public Lands Survey. Each well is assigned a unique

### **Township, Range and Section**

Much of California is divided according to a rectangular coordinate system called the United States System of Surveying the Public Lands, or more commonly, the Public Lands Survey. Through a system of land subdivision based on east-west and north-south lines, land in California is divided into squares called townships, ranges and sections.

Under the Public Lands Survey, all tracts of land are related to one of three "points" in California (see map on page 21). These points are the intersection of an eastwest "baseline" and a north-south "meridian." The three baselines and meridians in California are Humboldt Base and Meridian (Humboldt County), Mt. Diablo Base and Meridian (Contra Costa County) and San Bernardino Base and Meridian (San Bernardino County).

The Public Lands Survey divides the land into "townships." A township is a square parcel of land that is six miles on each side. Its location is established as being so many six-mile units called a Township, north or south of its baseline, and so many six-mile units called a Range, east or west of its meridian.

Each township is further divided into 36 parts called "sections." Each section contains 640 acres or one square mile. Because of the Earth's curvature, not all townships are square, not all townships contain 36 sections and not all sections contain 640 acres.

Since Spanish land grants predate the Public Lands Survey, they are not subdivided by the Public Lands Survey. Similarly, reclaimed lands were not included in the Public Lands Survey. However, DWR, in cooperation with the State Water Resources Control Board and the U.S. Geological Survey, has drawn section lines on 7-1/2 -minute topographic maps showing land grant boundaries.

“State Well Number” that is eventually placed in the space on the upper right corner of the WCR form.

Page 22 shows how a section is divided into 40-acre tracts and how a State Well Number was assigned to the 4th well located in the SW 1/4 of the SW 1/4 of Section 36 of Township 3 South, Range 4 East, San Bernardino Base and Meridian. T3S/R4E36N04S means Township 3 South, Range 4 East, Section 36, 40-acre plot N, 4th well to receive a State Well Number in that 40 acres, San Bernardino Base and Meridian. Page 23 shows how this well is located and plotted on a USGS quadrangle map.

**Latitude and Longitude.** Write the latitude and longitude numbers in decimal degrees so that the well can be located to within about 100 feet. For example, 34° 21.8' (34 degrees, 21.8 minutes). Latitude and longitude can be determined using a GPS receiver. If you use a GPS receiver to determine the well location, note this on the WCR form next to the entry for latitude and longitude. If you use a USGS quadrangle map to determine latitude and longitude, note that also.

#### **4—Location Sketch**

Provide a well location sketch. This is necessary to supplement the written description to locate the well on the ground. The sketch should have enough detail so that someone could find it on the first visit to the well site and be able to distinguish it from any other nearby well. North is at the top. Show the direction and distance from the nearest city or town, roads, streets, railroads, canals

or other prominent physical features.

Measure distance with an odometer or by pacing or using a tape, chain or surveying instrument. See page 24 for examples of location sketches. To help locate the well, attach a topographic map or other map to the WCR form that shows the well location in more detail than the limited space provided in this section.

#### **5—Activity**

Indicate whether the activity resulted in a new, modified or destroyed well. If the well was modified or repaired, list the changes. For example, if the well was reperforated, old casing was removed, new casing was added, the well was deepened or some strata or existing perforations were sealed off, document those facts. Record the method and materials used to modify the well. Use Section 8, GEOLOGIC LOG, to record this information.

#### **6—Planned Uses**

The most common uses for drilling wells are listed on pages 14 and 15. Check the one(s) that apply to your well. If a well is to be used for several different purposes, check every appropriate use. If the planned use of the well is not listed, check “Other” (see page 15) and describe the use. If the well is destroyed, describe the method and materials used in Section 8, GEOLOGIC LOG.

#### **7—Water Level and Yield of Completed Well**

This section includes the depth at which water is first encountered, the static water level before a pump test, the drawdown on completion of the test (see page 25), the type

# Definitions of Water Wells and Some “Other” Types of Wells

## **Water Supply Well**

- ▶ Wells used to supply water for the household needs of an individual residence or up to 4 connections. Household needs include drinking, cooking, washing, sanitary purposes, watering lawns and garden plots and caring for domestic pets.
- ▶ Wells used to supply water to irrigate field crops, orchards and vineyards or pastures, or large areas such as cemeteries, parks, golf courses or highway landscapes.
- ▶ Wells used to supply water for domestic purposes in systems serving communities or groups of connections that are subject to Chapter 7, Part 1, Division 5, of the California Health and Safety Code. These wells include large community systems serving cities, subdivisions and commercial water purveyors; small community systems serving mutual water companies, private water companies and purveyors; and small noncommunity systems serving schools, churches, parks, motels, hotels, restaurants, prisons and campgrounds where water is provided for public use.
- ▶ Private wells, as opposed to community systems, used by an industry where a product is fabricated or manufactured. The water may or may not be incorporated into the product, but may be used to cool machinery or cool or clean products.

## **Monitoring Well**

Used to observe groundwater levels and flow conditions, obtain samples to determine groundwater quality, evaluate hydraulic properties of water-bearing strata and monitor groundwater contamination. Vapor monitoring wells built in the unsaturated zone to determine the extent of gas migration are included in the definition of monitoring wells.

## **Test Well**

Used to obtain information for designing other wells. Test wells should not be confused with “exploration holes,” which are temporary. Test wells are cased and can be converted to other uses, including, under certain circumstances, production wells.

## **Cathodic Protection Well**

Constructed to house devices to minimize or prevent electrolytic corrosion of metallic pipelines, tanks and other facilities in contact with water in the ground.

## **Heat Exchange Well**

Also called a geothermal heat exchange well or a ground source heat pump well. Means any cased or uncased artificial excavation, by any method, that uses the heat exchange capacity of the Earth for heating and cooling, in which excavation, the ambient ground temperature is 30 degrees Celsius or less. This type of well may include a closed loop or open loop fluid circulating systems.

**Direct Push Well**

A borehole made by hydraulic rams that push tubes of various sizes into the ground either to obtain information relating to hydrogeology or to build monitoring wells to obtain water samples for analysis of water quality, groundwater level measurements or vapor samples for analysis.

**Injection Well**

A recharge well or any well used to inject fluids into the ground or into the aquifer, either as a way to dispose of that fluid or to recharge the aquifer for future extraction or to prevent the movement of undesirable underground fluids.

**Vapor Extraction Well**

Boreholes used in any of several techniques used to remove vapors of volatile organic compounds that result from contamination of an aquifer by hydrocarbons, pesticides and cleaning solvents. The vapors may emanate from the product that remains in the unsaturated portion of the aquifer or from a contaminant in the saturated zone.

**Sparging Well**

A borehole used in any of several techniques to introduce air or another gas into the aquifer and either transport the contaminant to the surface for treatment or to combine with the contaminant to treat or remove it from the aquifer.

**Remediation Well**

A well used to remove or contain a toxic spill or hazardous materials from a contaminated site.

**Other (Specify)**

Wells described here are not specifically listed on the WCR form.

- ▶ See Injection Well.
- ▶ See Heat Exchange Well.
- ▶ Wells constructed to obtain water for bottling for human consumption.
- ▶ Wells to develop water for discharging into pools or channels for swimming boating or fishing. Includes water for ice rinks, snow and water skiing ponds.
- ▶ Wells used for fire protection or fire fighting, for frost prevention or protection or to control dust.
- ▶ Wells used to provide a water supply, often by using a windmill, to range animals.
- ▶ Wells used to obtain water to irrigate residential lawns and landscaping only. These wells must meet construction standards of the local enforcement agency. Water from backyard wells may not be used for domestic purposes or allowed to intermingle with the domestic water supply. A crossflow prevention valve must be installed and inspected regularly to prevent contamination of the domestic supply.

and length of the test and the estimated yield of the well.

**Depth to First Water.** Enter the depth at which water is first encountered during drilling the borehole. Measuring the depth to water must always be done from the same reference point on the well casing and corrected to the level of the ground surface.

#### **Depth of Static Water Level and Date**

**Measured.** Enter the depth to water measured after the well was built (casing and screen have been installed), the well was developed and the water level was stabilized prior to the pump test. Include the date of the measurement.

**Estimated Yield.** This may or may not represent the well's long-term yield, but it gives an indication. The yield is the maximum rate at which the water can be discharged from the well and sustained for the period of time stated on the WCR form.

**Test Type and Length.** Note whether the test was conducted with a pump or by airlift. The water level at the start of the test is the "static" or nonpumping level. Indicate how many hours the test lasted.

**Total Drawdown.** The depth to water at the end of the pump test is the "pumping level" and must be measured immediately after cessation of pumping at the maximum discharge. The difference in depth between the static level and pumping level is the "drawdown" (see page 25).

Pump tests conducted in the well soon after the drilling is completed may not represent

the long-term yield of the well. While such pump tests may give a general idea of the yield, a pump test conducted with a pump similar to the pump to be installed would give a better indication of the yield.

If more than one test is conducted, record the data in the unused space under GEOLOGIC LOG or on an additional WCR form or blank sheet of paper. Attach it to the WCR form.

## **8—Geologic Log**

The GEOLOGIC LOG is one of the most important sections in the WCR form. It is based mainly on the driller's judgment and observation of details while drilling the well and should include the following information.

If the well is being destroyed, use this section to draw the borehole showing depths of casing removal, casing perforation and fill and seals that were emplaced to destroy the well and seal the borehole to prevent it from becoming a conduit for groundwater contamination.

**Orientation.** Indicate whether the borehole is vertical, horizontal or at an angle from the vertical. Horizontal wells include Ranney-type collectors, infiltration galleries, wagon wheel wells and spring development. If the borehole is at an angle from the vertical, indicate what that angle is.

**Drilling method.** Indicate the drilling method used to bore the hole and construct the well (rotary, cable tool, reverse circulation, air or hammer drill, dual-wall reverse circulation, bucket auger, etc.).

**Fluid.** Identify the type of drilling fluid used



(air, bentonite, foam, polymer, water, etc.). If more than one fluid was used, list the order of use (air and foam or water and bentonite).

**Description.** Describe the materials that are drilled through, the grain size of the material and the color of the material. In addition, record any other details noted during the drilling operation.

Record changes in drilling conditions and any other observations that help describe the subsurface materials and conditions under which groundwater occurs. Technical terms for formation or aquifer names are suitable. Physical descriptions such as “sandy clay,” “sandy gravel” or “cobbles” are also suitable. Describe the materials in your own words as well as possible. Record the following information.

***Depth from (Ground) Surface to the Top and the Bottom of Different Types of Material.*** This is self explanatory.

***Description of Material.*** Report unconsolidated materials such as gravel, sand, silt or clay. If the material is mixed, use combinations of terms such as sand and gravel, gravelly clay, silty sand, etc. If drilling through consolidated rocks, write in the type of rock such as shale, sandstone, granite, limestone, basalt or other. Note any particularly good water-bearing zones. If known, write in the aquifer name.

If the material is granular, note whether the grains are cemented together or loose. The material may be cemented together as in a sandstone or

conglomerate, or loose as in a water-bearing sand and gravel aquifer.

***Grain Size of Material.*** The grain size of sedimentary material can be determined by using the Wentworth Scale or the Unified Soil Classification System (see page 26). If the materials have not been pulverized by the drilling action, indicate the size of the gravel and sand and whether you are using the Wentworth Scale or the Unified Soil Classification System. Using either method, samples can be described in great detail.

In the Wentworth Scale, gravel is larger than 2 millimeters, sand ranges from 1/16 millimeter to 2 millimeters and silt and clay are smaller than 1/16 millimeter. Each of these divisions can be subdivided further.

In the Unified Soil Classification System, the sample is called “gravel” when over 50% is retained by a number 4 sieve. The sample is called “sand” when over 50% passes through a number 4 sieve, and is retained by a number 200 sieve. If more than 50% passes through the number 200 sieve the sample is called “silt and clay.” Within these 3 major categories, the USCS provides for additional subdivisions.

If the material is finer than fine sand, try to determine whether it is predominantly silt or clay. Silt and clay cannot be differentiated visually, but silt has little plasticity and will not hold together when rolled in the hand. Clay is plastic and can be rolled into thin strands.

**Color of Material.** Write in the color of individual formation materials encountered. State whether color is recorded when the material is wet, damp or dry. If a drilling fluid is used, write in the depth at which changes in color occur. The Geological Society of America publishes a chart that can be used to name and code the color of the sample.

**Other Observations.** Record any abrupt drop in the drill bit which may indicate the presence of quicksand, large crevices or caverns. Large openings may occur in volcanic rock and limestone. When possible, note and interpret any other peculiarities observed in drilling such as changes in drilling rates or mud viscosity, caving, loss of drilling fluid, changes in water temperature or changes in water level (especially a rapid rise or lowering of level) and the depth where the changes occur. A more detailed log can be attached.

To help record those details, a Daily Drilling Report is particularly useful (see page 27). A Daily Drilling Report is an accurate record of time required to drill a certain amount of material. The Daily Drilling Report should include depths at which bits were changed, depths at which drilling fluid losses occurred and other factors that affect the drilling rate. A Daily Drilling Report supplies valuable information about relative positions of various geologic formations because the character of the material being penetrated by the bit largely determines the drilling rate. Often thin beds can be identified that would not otherwise show up in the cuttings. The Daily Drilling Report,

together with other means of logging, provide an accurate way to locate formation boundaries and formation changes.

**Total Depth of Boring and of the Completed Well.** The total depth of boring is the greatest depth to which the borehole was drilled or sampled. The completed well depth is the depth below land surface to which the well was completed after installing the casing and bottom plug, if any. The completed depth for destroyed wells is 0 after destruction.

## 9—Casing

Record the information about the casing here. If there is not enough room in this section to record this information, use the GEOLOGIC LOG section, or use a separate piece of paper and attached it to the WCR form.

Attach an “as built” drawing of the completed borehole that includes details of the screened intervals, gravel chute location, vents, sealing material and all other pertinent information about the construction of the well or the destruction of the well and borehole.

**Depth from Surface.** Write in the depth at which the casing put into the borehole changes from one diameter to another.

**Borehole Diameter.** Write in the diameter of the borehole into which the conductor casing or well casing is placed. If the borehole diameter changes, note that fact and the depth of the change.

### **Casing(s).**

**Type.** Indicate whether the casing in that depth interval is blank, screen, conductor or fill pipe. If the hole is an “open bottom,” record that fact at the appropriate depth.

**Material/Grade.** Describe the material and grade of the casing material.

**Internal Diameter.** Indicate the internal diameter of the casing.

**Gauge or Wall Thickness.** Describe the gauge or wall thickness of the casing in each interval.

**Slot Size If Any.** If there are slots in the casing, describe their size and shape. Record whether the casing was perforated on-site after placement in the borehole or perforated at the factory.

### **10—Annular Material**

Describe the annular material. This may include a filter pack consisting of sand or gravel or sealing material.

**Depth from Surface.** Write in the depth at which the material put into the annular space changes from one type to another.

**Type.** The annular material may consist of cement, bentonite, fill or a filter pack. Indicate what type of material is placed in each depth interval. If a filter pack is placed, indicate its type and size.

### **11—Attachments**

If additional information or reports are available, such as logs, location maps and tests (geologic log, well construction diagram,

geophysical log, soil/water chemical analysis, pump test or other information), note this in this section and attach the additional information to the WCR form.

### **12—Certification Statement**

The final item on the WCR form is a statement by the C-57 licensed Water Well Contractor who did the work certifying that the form is complete and accurate to the best of the contractor's knowledge.

STATE OF CALIFORNIA  
**WELL COMPLETION REPORT**  
Refer to Instruction Pamphlet

DWR USE ONLY — DO NOT FILL IN

STATE WELL NO./STATION NO.

LATITUDE LONGITUDE

APN/TRS/OTHER

Page 1 of 1

Owner's Well No. 1

No. **01020304**

Date Work Began 8/14/91, Ended 8/28/91

Local Permit Agency Tehama County Environmental Health

Permit No. 395-91 Permit Date 8/01/91

**GEOLOGIC LOG**

ORIENTATION ( )		<input checked="" type="checkbox"/> VERTICAL	<input type="checkbox"/> HORIZONTAL	<input type="checkbox"/> ANGLE	(SPECIFY)
DEPTH FROM SURFACE		DRILLING METHOD		FLUID	
Ft.	to Ft.	DESCRIPTION			
Describe material, grain size, color, etc.					
0	6	topsoil			
6	20	brown clay			
20	50	brown clay & gravel			
50	62	gravel (water)			
62	80	Brown clay			
80	100	gravel to cobble size brown to tan			
100	116	brown clay, fat changing to sand			
116	133	cobbles and gravel			
133	168	brown clay, fat with sandy lenses			
168	207	gravel to cobble size			
207	288	blue clay, fat			
288	305	sand, medium size			
305	330	blue clay			
* screen type: shutter screen					


**WELL OWNER**

Name John Smith  
Mailing Address 227 Bidwell Avenue  
Red Bluff Calif  
CITY STATE ZIP  
96080

**WELL LOCATION**

Address \_\_\_\_\_  
City same as above  
County Tehama  
APN Book 07 Page 120 Parcel 14  
Township 25N Range 03W Section 10 MDBM  
Latitude 40 12.15 NORTH Longitude 122 27.2 WEST  
DEG. MIN. SEC. DEG. MIN. SEC.

**LOCATION SKETCH**



**ACTIVITY ( )**

- NEW WELL
- MODIFICATION/REPAIR  
 Deepen  
 Other (Specify) \_\_\_\_\_
- DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")
- PLANNED USES ( )**
- WATER SUPPLY  
 Domestic  Public  
 Irrigation  Industrial
- MONITORING   
TEST WELL   
CATHODIC PROTECTION   
HEAT EXCHANGE   
DIRECT PUSH   
INJECTION   
VAPOR EXTRACTION   
SPARGING   
REMEDICATION   
OTHER (SPECIFY) \_\_\_\_\_

Illustrate or Describe Distance of Well from Roads, Buildings, Fences, Rivers, etc. and attach a map. Use additional paper if necessary. **PLEASE BE ACCURATE & COMPLETE.**

**WATER LEVEL & YIELD OF COMPLETED WELL**

DEPTH TO FIRST WATER 47 (Ft.) BELOW SURFACE  
DEPTH OF STATIC WATER LEVEL 54 (Ft.) & DATE MEASURED 8/14/91  
ESTIMATED YIELD 100 (GPM) & TEST TYPE pump  
TEST LENGTH 3 (Hrs.) TOTAL DRAWDOWN 19 (Ft.)  
\* May not be representative of a well's long-term yield.

TOTAL DEPTH OF BORING 330 (Feet)  
TOTAL DEPTH OF COMPLETED WELL 310 (Feet)

DEPTH FROM SURFACE	BORE-HOLE DIA. (Inches)	CASING (S)								
		TYPE ( )				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)	GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	
Ft.	to Ft.	BLANK	SCREEN	CON-DUCTOR	FILL PIPE					
0	116	12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	steel	6	.25	
116	133	12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	steel	6	.25	1/8" x 2"
133	168	12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	steel	6	.25	
168	207	12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	steel	6	.25	1/8" x 2"
207	288	12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	steel	6	.25	
288	310	12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	steel	6	.25	1/8" x 2"

DEPTH FROM SURFACE	ANNULAR MATERIAL				
	TYPE				
Ft.	to Ft.	CE-MENT ( )	BEN-TONITE ( )	FILL ( )	FILTER PACK (TYPE/SIZE)
0	110	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
110	310	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	#8 sand

**ATTACHMENTS ( )**

- Geologic Log  
 Well Construction Diagram  
 Geophysical Log(s)  
 Soil/Water Chemical Analyses  
 Other \_\_\_\_\_

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

**CERTIFICATION STATEMENT**

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME ESSIG WELL DRILLING

(PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)

P.O. BOX 711

WESTPORT

CALIF 91201

ADDRESS

CITY

STATE

ZIP

Signed Carl Essig

WELL DRILLER/AUTHORIZED REPRESENTATIVE

Jan 1, 2020


DATE SIGNED

050501

C-57 LICENSE NUMBER



# State Well Number T3S/R4E-36N04S



San Bernardino Base  
and Meridian  
Township and Range  
Numbering System


6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	<b>36</b>

Township 03 South,  
Range 04 East  
Section Numbering System


D	C	B	A
E	F	G	H
M	L	K	J
<b>N</b>	P	Q	R

Section 36  
Tract Numbering  
System





Tract "N"  
Well Numbering  
System and Location



# Section of USGS Quadrangle Map for State Well Number T3S/R4E-36N04S





## Examples of Location Sketches





## Measuring Drawdown



## Wentworth Scale

Size	Wentworth Size Class	Sediment/Rock Name
256mm	Boulders	Sediment: GRAVEL Rocks: CONGLOMERATES, BRECCIAS
64mm	Cobbles	
4mm	Pebbles	
2mm	Granules	
1mm	Very Coarse Sand	Sediment: SAND Rocks: SANDSTONES
1/2mm	Coarse Sand	
1/4mm	Medium Sand	
1/8mm	Fine Sand	
1/16mm	Very Fine Sand	
1/256mm	Silt	Sediment: MUD Rocks: SHALE, CLAY STONES, MUDROCKS, MUDSTONES
	Clay	

## Unified Soil Classification System

(from American Society for Testing and Materials, 1985)

MAJOR DIVISIONS		GROUP SYMBOL	CONSTITUENTS
Coarse Grained Soils More than 50% Retained on No. 200 Sieve	Gravel—more than 50% of coarse fraction retained on No. 4 Sieve	Clean Gravel	GW Well-Graded Gravel, Fine to Coarse Gravel
		Gravel with Fines	GP Poorly-Graded Gravel
			GM Silty Gravel
		GC Clayey Gravel	
	Sand—more than 50% of coarse fraction passes No. 4 Sieve	Clean Sand	SW Well-Graded Sand, Fine to Coarse Sand
		Sands with Fines	SP Poorly-Graded Sand
SM Silty Sand			
SC Clayey Sand			
Fine Grained Soils More than 50% Passes No. 200 Sieve	Silt and Clay—liquid limit less than 50	Inorganic	ML Silt
		Organic	CL Clay
	Silt and Clay—liquid limit 50 or more	Inorganic	OL Organic Silt, Organic Clay
		Organic	MH Silt of High Plasticity, Elastic Silt
			CH Clay of High Plasticity, Fat Clay
OH Organic Clay, Organic Silt			
Highly Organic Soils		PT	Peat

State of California  
The Resources Agency  
DEPARTMENT OF WATER RESOURCES

**DAILY DRILLING REPORT**

Hole No. \_\_\_\_\_

Project _____	Date _____
Feature _____	Shift _____ A.M. _____ P.M. _____
Location _____	Vertical _____ Angle _____
Date Hole Started _____	Overburden Drilled _____ ft.
Hole Size _____	Reamed Interval _____ ft. to _____ ft.
Casing Record—Size _____ Footage _____	Cemented Interval _____ ft. to _____ ft.
Depth of Hole—end of shift _____ ft.	Drilling Cement _____ hrs. _____ ft.
Depth of Hole—start of shift _____ ft.	Water Testing _____ hrs. _____ ft.
TOTAL FOOTAGE THIS SHIFT _____ ft.	Estimated Completion Date _____
Percent Core Recovered _____ %	Completed Date _____
Standby Time _____ hrs.	Estimated Total Depth of Hole _____ ft.
Down Time _____ hrs.	Total Depth _____ ft.

SUMMARY OF DAILY EVENTS

GENERAL REMARKS

Geologist \_\_\_\_\_

Hole No. \_\_\_\_\_



---

# References

California Department of Water Resources,  
1999, *California Laws: Water Wells,  
Monitoring Wells, Cathodic Protection  
Wells, Geothermal Heat Exchange  
Wells.*

United States Geological Survey, 1983,  
reprinted 1993, *Basic Ground Water  
Hydrology, USGS Water Supply Paper  
2220.*

California Department of Water Resources,  
1991, *Water Well Standards: State of  
California, Bulletin 74-90.*

California Department of Water Resources,  
1975, *California's Ground Water,  
Bulletin 118.*

California Department of Water Resources,  
1980, *Ground Water Basins in  
California, Bulletin 118-80.*

California Groundwater Association, 1992,  
*Standard Practice Manual.* Periodic  
additions of recommended standard  
practices for the groundwater industry.

Driscoll, Fletcher G., 1986, *Ground Water and  
Wells*, 2nd edition, Johnson Division.

Roscoe Moss Company, 1990, *Handbook of  
Ground Water Development*, John  
Wiley & Son.

United States Environmental Protection  
Agency, Office of Water Supply,  
*Manual of Water Well Construction  
Practices*, EPA-570/9-75-001,  
September 1976.





